INDOOR SUNSHADE

Cordless Series


Cordless Roller Blinds

Cordless Softness Blinds


Cordless Honeycomb Blinds







CORDLESS ROLLER BLINDS





1. Cover

5. Bottom rail

Caps

- 6. Clear handle
- 3. Fabric
- 4. Bottom rail caps

Fabric		Material: Polyester+PVC Color: Choose as Fabric book There are more colors available, please contact customer service for E-catalog fabric book.
Cover		Size: 73×73mm Material: Aluminum Thickness:1.2mm Color: Choose as stock color Special color could be customized (MOQ:500pcs)
Caps		Size: 73x73mm Material: POM Color: White/Grey/Beige/Matt black Match with top cover
Tube		Size:Ø38 Material:Aluminum Thickness: 1.2mm Color:white Powder coated Matched Color Technology
Spring system		Size: Ø38x145x35mm Material: POM Color: White
Tail Plug		Size: Ø38x138x35mm Material: POM Color: White
Bottom rail		Size: 12x39mm Material: Aluminum Colour: Choose as stock color Thickness:1.2mm
Bottom rail caps	HI	Size: 12x39mm Material: POM Colour: Black
Clear handle		Size:70x25mm Material: PVC Colour: Clear
Bracket		Size: 73x3ox37mm(L x W x H) Material: 304 Steel + POM Spring Insert Clip fix and easy mounting Perfect privacy after mounting
Expansion screws	 	Size:Móx30mm

Technical data


Suitable size	Maximum size(WxH):2m x 2m Minimum size(WxH):2m x 2m		
Installing type	Inside window mount Outside window mount		
Installing methods	Top mount Side mount		
	Sliding window	Inside open window	Outside open window
Window choice	Inside mount /Outside mount	Outside mount	Inside mount /Outside mount

Installation Type





Inside mount Outside mount



Standard Type

CORDLESS ZEBRA BLINDS





1. Cover

5. Bottom rail

Caps


- 6. Clear handle
- 3. Fabric
- 4. Bottom rail caps


Fabric		Fabric Size: 75mm(Details as actual size) Sheer Size: 50mm(Details as actual size) Material: Polyester 100% Color: Choose as Fabric book There are more colors available, please contact customer service for E-catalog fabric book.
Cover		Size: 73×73mm Material: Aluminum Thickness:1.2mm Color: Choose as stock color Special color could be customized (MOQ:500pcs)
Caps		Size: 73×73mm Material: POM Color: White/Grey/Beige/Matt black Match with top cover
Tube		Size:Ø38 Material:Aluminum Thickness: 1.2mm Color:white Powder coated Matched Color Technology
Spring system		Size: Ø38x189x35mm Material: POM Color: White
Tail Plug		Size: Ø38 Material: POM Color: White
Rotating shaft		Size:Ø16mm Material:Aluminum Color:White
Bottom rail		Size: 27x46mm Material: Aluminum Colour: Choose as stock color Thickness:2.2mm
Bottom rail caps	⊦ •	Size: 30x46mm Material: POM Colour: Black
Clear handle		Size:80x55mm Material: PVC Colour: Clear
Bracket		Size: 73x30x37mm(L x W x H) Material: 304 Steel + POM Spring Insert Clip fix and easy mounting Perfect privacy after mounting
Expansion screws	 	Size:Móx30mm

Technical data

Suitable size	Maximum size(WxH):2m x 2m Minimum size(WxH):2m x 2m		
Installing type	Inside window mount Outside window mount		
Installing methods	Top mount Side mount		
	Sliding window	Inside open window	Outside open window
Window choice	Inside mount /Outside mount	Outside mount	Inside mount /Outside mount


Installation Type







Inside mount

Outside mount



CORDLESS HONYCOMB BLINDS





- 1. Top track
- 2. Caps
- 3. Transmisson rod
- 4. Reel

- 5. Bracket
- 6. Fabric
- 7. Bottom rail caps
- 8. Bottom rail

9. Clear handle

Fabric		Size:25mm/45mm Material: Polyester 100% Color: Choose as Fabric book There are more colors available, please contact customer service for E-catalog fabric book.
Top track		Size: 32x43mm Material: Aluminum Thickness: 0.9mm Color: Choose as stock color Special color could be customized (MOQ:500pcs)
Caps		Size: 32x43mm Material: POM Color: Black Match with top cover
Reel		Size:50x20x36mm Material: POM Color: White
Reel		Size: 50x14x36mm Material: POM Color: White
Bracket		Size: 20x20x35mm Material: POM Color: White
Transmisson rod		Size:Ø6mm Material:PVC Color:White
Bottom rail		Size: 29x14mm Material: Aluminum Colour: Choose as stock color Thickness:0.9mm
Bottom rail caps		Size: 29x14mm Material: POM Colour: Black
Clear handle		Size:40x12x28mm Material: PVC Colour: Clear
Bracket	TT	Size: 40x30x27mm(L x W x H) Material: 304 Steel + POM Spring Insert Clip fix and easy mounting Perfect privacy after mounting
Expansion screws	# #	Size:Móx3omm



- 1. Top track
- 2. Caps
- 3. Transmisson rod
- 4. Reel

- 5. Bracket
- 6. Fabric(Light filtering)
- 7. Bottom rail
- 8. Fabric(blackout)


- 9. Bottom rail caps
- 10. Clear handle

Fabric		Size:25mm/45mm Material: Polyester 100% Color: Choose as Fabric book There are more colors available, please contact customer service for E-catalog fabric book.
Top track		Size: 32x43mm Material: Aluminum Thickness: 0.9mm Color: Choose as stock color Special color could be customized (MOQ:500pcs)
Caps		Size: 32x43mm Material: POM Color: Black Match with top cover
Reel		Size:50x20x36mm Material: POM Color: White
Reel		Size: 50x14x36mm Material: POM Color: White
Bracket		Size: 20x20x35mm Material: POM Color: White
Transmisson rod		Size:Ø6mm Material:PVC Color:White
Bottom rail		Size: 29x14mm Material: Aluminum Colour: Choose as stock color Thickness:0.9mm
Bottom rail caps		Size: 29x14mm Material: POM Colour: Black
Clear handle		Size:40x12x28mm Material: PVC Colour: Clear
Bracket	15-	Size: 40x30x27mm(L x W x H) Material: 304 Steel + POM Spring Insert Clip fix and easy mounting Perfect privacy after mounting
Expansion screws	 	Size:M6x3omm

Technical data

Suitable size	Maximum size(WxH):2m x 2m Minimum size(WxH):2m x 2m		
Installing type	Inside window mount Outside window mount		
Installing methods	Top mount Side mount		
	Sliding window	Inside open window	Outside open window
Window choice	Inside mount /Outside mount	Outside mount	Inside mount /Outside mount

Installation Type





Inside mount Outside mount

Measuring method

Installation of window blinds have two methods: inside mount & outside mount.

Measuring method for Inside mount:


Horizontal direction (Width) measure inside of window: top, middle and bottom three points (as below pics in orange line show) Vertical direction (Height) measure inside of window: left and right side (as below pic in orange line show)

The sizes for window's width & height choose the minimum ones as the window size. For width of ready made blinds, advise to deduct 5-10mm for tolerance.

Measure method for Outside mount:

Horizontal direction (Width) measure inside of window: top, middle and bottom three points (as below pics in grey line show) Vertical direction (Height) measure inside of window: left and right side (as below pic in grey line show)

The sizes for window's width & height choose the maximum ones as the window size. For width of ready made blinds, advise to add 100mm for Window's width& height to make sure blinds total cover the window frame.



Window mounting depth≥10cm

Package types

Inner packing



Clear PVC Box



Outer Packing



5 layers thicken carton + angle protection for 4 edges

Packing Real Site





Integrity/Quality/Professional/Service



Tianjin Hunters Technology Co., Ltd

- No.6 building, Changqingteng Art & Industrial Park, No.10 Caizhi Road, Jingwu town, Xiqing District, Tianjin, China. Post code: 300392
- **(** +86 22 23982209
- +86 15922294041
- ▼ lauraoo1@aliyun.com